

FIG. 1





FIG. 2



**FIG. 3**





FIG. 4



**FIG. 5**





FIG. 6




# FIG. 7


```
<?xml version="1.0"?>
<!--This is first comment-->
<!DOCTYPE html PUBLIC "-//DVD//DTD XHTML DVD-HTML 1.0//EN"
 "http://www.dvdforum.org/enav/dtd/dvdhtml-1.0.dtd">
<html>
<head>
<title>DOM-core sample</title>
<script type="text/ecmascript">
alert("script code is in head tag")
function load_handler()
{
    alert("Hello, DVD-HTML")
    var strMsg="";
    strMsg+=document.documentElement.nodeName+ "\n";
    strMsg+=document.documentElement.attributes.item(0).nodeName+ "\n";
    var root=document.documentElement;
    for(var i=0;i<root.childNodes.length;i++)
        strMsg+="\t"+root.childNodes.item(i).nodeName+ "\n"
    strMsg+=document.nodeName;
    alert(strMsg)
    alert(root.childNodes.item(0).childNodes.length);

    alert(root.childNodes.item(0).childNodes.item(1).hasChildNodes());
}
function unload_handler()
{
    alert("good bye world")
}
</script>
</head>
<body onload="load_handler();onunload= "unload_handler();">
<script type="text/ecmascript">
alert( " before body text " )
</script>
<p>bodytext</p>
<script type="text/ecmascript">
<![CDATA[
alert("after body text")
]]>
</script>
</body>
</html>
```


**FIG. 8**




**FIG. 10**




**FIG. 9**



**FIG. 1**



**FIG. I2A**



**FIG. I2B**







FIG. I2C



**FIG. I2D**



**FIG. 13**



**FIG. 13**

